

**Blood and Marrow Transplant Clinical
Trials Network**

Re-Admission/Hospitalization Form (ADM)

Web Version: 1.0; 4.02; 06-09-11

Segment (PROTSEG):

Date of Admission (ADMITDT):

1. Date of discharge: (DISCHDT)

(mm/dd/yyyy)

2. Patient discharge status: (DISCPTST)

1 - Alive 2 - Dead

If Dead, a Death Form must be submitted.

3. Record PRIMARY discharge diagnosis: (PHSPREAS)

01-01 - GVHD
02-02 - Relapse/Progression
03-03 - Graft Failure
04-04 - Infection
05-05 - Fungal Infection
*Additional Options Listed Below



*Specify organ: (ADM4SPEC)

**Specify other: (ADM1SPEC)

4. Record secondary discharge diagnoses:

a. GVHD: (REAGVHD)

1 - Contributory 2 - Non contributory



b. Relapse/progression: (REASRLPS)

1 - Contributory 2 - Non contributory

c. Graft failure: (REASGF)

1 - Contributory 2 - Non contributory

d. Infection: (REASINF)

1 - Contributory 2 - Non contributory

e. Fever: (REASFVR)

1 - Contributory 2 - Non contributory

f. Seizure: (REASSZR)

1 - Contributory 2 - Non contributory

g. Bleeding/hemorrhage: (REASGIBL)

1 - Contributory 2 - Non contributory

h. Diarrhea: (REASDRH)

1 - Contributory 2 - Non contributory

i. Nausea/vomiting: (REASNV)

1 - Contributory 2 - Non contributory

j. Organ failure: (REASORGF)

1 - Contributory 2 - Non contributory

Specify organ: (ADM3SPEC)

k. Trauma: (REASTRAM)

1 - Contributory 2 - Non contributory

l. Psychiatric: (REASPSYC)

1 - Contributory 2 - Non contributory

m. Secondary malignancy: (REASMALG)

1 - Contributory 2 - Non contributory

n. Scheduled procedure/treatment: (REASPROC)

1 - Contributory 2 - Non contributory

o. Thrombosis/thrombus/embolism: (REASTRMB)

1 - Contributory 2 - Non contributory

p. Other: (REASOTHR)

1 - Contributory 2 - Non contributory

Specify other: (ADM2SPEC)

5. Record re-admission institution: (ADMCENTR)

1-1 - Original Transplant Center
2-2 - Other Transplant Center
3-3 - Other Hospital

Comments: (ADMCOMM1)

Additional Selection Options for ADM

Record PRIMARY discharge diagnosis:

- 06-06 - Non-Fungal Infection
- 07-07 - Fever
- 08-08 - Seizure
- 09-09 - Bleeding/Hemorrhage
- 10-10 - Diarrhea
- 11-11 - Nausea/Vomiting
- 12-12 - Organ Failure (specify organ)*
- 13-13 - Trauma
- 14-14 - Psychiatric
- 15-15 - Secondary Malignancy
- 16-16 - Transplant
- 17-17 - Scheduled Procedure/Treatment
- 18-18 - Thrombosis/Thrombus/Embolism
- 99-99 - Other (specify)**

**Blood and Marrow Transplant Clinical
Trials Network**

Unexpected, Grade 3-5 Adverse Event Form (AE1)

Web Version: 1.0; 3.06; 06-09-11

Segment (PROTSEG):
Date of Onset (ADVDATE):
Event description (ADVENT):

1. Report activation status: (AVSTATUS)

- 1-1 - Keep report active
- 2-2 - Deactivate - Report filed in error
- 3-3 - Deactivate - Key field error
- 9-9 - Deactivate - Other reason



If Other, specify reason for deactivation: (AESPEC1)

2. Record date transplant center became aware of the event: (AVAWARDT)

(mm/dd/yyyy)

3. Indicate weight at time of the event: (AVWGHTKG)

(xxx.x) kg

4. Was this event expected or anticipated? (AVEXPECT)

1 - Yes 2 - No



5. Record the severity of event: (AVEVENT)

- 1-1 - Mild
- 2-2 - Moderate
- 3-3 - Severe
- 4-4 - Life Threatening
- 5-5 - Fatal



6. What is the relationship to study therapy/intervention: (AVRELAT)

- 1-1 - Unrelated
- 2-2 - Unlikely
- 3-3 - Possible
- 4-4 - Probable
- 5-5 - Definite

7. Is there an alternative etiology: (AVETIOL)

- 0-0 - None Apparent
- 1-1 - Study Disease
- 2-2 - Other Pre-Existing Disease or Condition
- 3-3 - Accident, Trauma, or External Factors
- 4-4 - Concurrent Illness/Condition (Not Pre-Existing)

8. What is the effect on study therapy/intervention schedule: (AVEFFECT)

- 1-1 - No Change - Completed
- 2-2 - No Change - Ongoing
- 3-3 - Dose Modified
- 4-4 - Temporarily Stopped
- 5-5 - Permanently Stopped

9. Record the most severe outcome of the event: (AVOUTCOM)

- 1-1 - Resolved, No Residual Effects
- 2-2 - Resolved with Sequelae
- 3-3 - Persistent Condition
- 4-4 - Resolved by Death



10. Record the date of resolution: (AVRESDT)

(mm/dd/yyyy)




11. Was this event associated with: (AVASSOCI)

- 0-0 - None of the Following
- 1-1 - Death
- 2-2 - Life-Threatening Event
- 3-3 - Disability
- 4-4 - Congenital Anomaly
- *Additional Options Listed Below



Comments: (AE 1COMM)



Additional Selection Options for AE1

Was this event associated with:

5-5 - Required Intervention to Prevent Permanent Impairment or Damage

6-6 - Hospitalization (Initial or Prolonged)

9-9 - Other SAE

**Blood and Marrow Transplant Clinical
Trials Network**

Summary Form - Unexpected, Grade 3-5 Adverse Event (AE2)

Web Version: 1.0; 3.06; 06-09-11

Segment (PROTSEG):
Date of Onset (ADVDATE):
Event description (ADVENT):

1. Report activation status: (AVSTAT_A)

1-1 - Keep report active
2-2 - Deactivate - Report filed in error
3-3 - Deactivate - Key field error
9-9 - Deactivate - Other reason

Relevant Past Medical History

2. Does the patient have any relevant history, including pre-existing medical conditions? (SEMEDHXS)

1 - Yes 2 - No

If Yes, include any relevant history, including preexisting medical conditions below.

(SEMEDHX)

3. Event Summary

Include clinical history of event, associated signs and symptoms, alternative etiologies being considered and medical management below.

(SESUMM)

4. Initial submitter: (SEISUBBY)

Name: Date: (SEISUBDT) (mm/dd/yyyy)

5. Authorized submitter: (SEASUBBY)

Name: Date: (SEASUBDT) (mm/dd/yyyy)

**Blood and Marrow Transplant Clinical
Trials Network**

Therapy Form - Unexpected, Grade 3-5 Adverse Event (AE3)

Web Version: 1.0; 3.06; 06-09-11

Segment (PROTSEG):
Date of Onset (ADVDATE):
Event description (ADVENT):

1. Report activation status: (AVSTAT_B)

1-1 - Keep report active 2-2 - Deactivate - Report filed in error 3-3 - Deactivate - Key field error 9-9 - Deactivate - Other reason

Study Product/Suspect Medication Data

2. Was the patient receiving any study products/suspect medications? (RCVSP) 1 - Yes 2 - No

If Yes, list the study product/suspect medications the subject was taking in the grid below.

Study Product Name (Note: If blinded, indicate as such)	Dose of Study Product(s) at SAE Onset	Route of Study Product(s) at SAE Onset	Schedule of Study Product(s) at SAE Onset	Date Study Product First Started (mm/dd/yyyy)	Date Study Product Last Taken (mm/dd/yyyy)	Reason for Use
(SPNAME1)	(SP1DOSE)	(SP1ROUTE)	(SP1SCHED)	(SP1STDT)	(SP1SPDT)	(SP1REASO)
(SPNAME2)	(SP2DOSE)	(SP2ROUTE)	(SP2SCHED)	(SP2STDT)	(SP2SPDT)	(SP2REASO)
(SPNAME3)	(SP3DOSE)	(SP3ROUTE)	(SP3SCHED)	(SP3STDT)	(SP3SPDT)	(SP3REASO)
(SPNAME4)	(SP4DOSE)	(SP4ROUTE)	(SP4SCHED)	(SP4STDT)	(SP4SPDT)	(SP4REASO)
(SPNAME5)	(SP5DOSE)	(SP5ROUTE)	(SP5SCHED)	(SP5STDT)	(SP5SPDT)	(SP5REASO)

Concomitant Medications

3. Was the patient taking any concomitant medications? (RCVCONMD) 1 - Yes 2 - No

If Yes, list the concomitant medications the patient was taking up to 1 month prior to SAE onset in the grid below.

Medication	Start Date (mm/dd/yyyy)	Stop Date (mm/dd/yyyy)	Dose, Route, Schedule	Indication
(CONMED1)	(CM1STDT)	(CM1SPDT)	(CM1DOSE)	(CM1INDIC) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED2)	(CM2STDT)	(CM2SPDT)	(CM2DOSE)	(CM2INDIC) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED3)	(CM3STDT)	(CM3SPDT)	(CM3DOSE)	(CM3INDIC) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED4)	(CM4STDT)	(CM4SPDT)	(CM4DOSE)	(CM4INDIC) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED5)	(CM5STDT)	(CM5SPDT)	(CM5DOSE)	(CM5INDIC)

				1-1 - Treatment of adverse event 9-9 - Other
(CONMED6)	(CM6STDY)	(CM6SPDY)	(CM6DOSE)	(CM6INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED7)	(CM7STDY)	(CM7SPDY)	(CM7DOSE)	(CM7INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED8)	(CM8STDY)	(CM8SPDY)	(CM8DOSE)	(CM8INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED9)	(CM9STDY)	(CM9SPDY)	(CM9DOSE)	(CM9INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED10)	(CM10STDY)	(CM10SPDY)	(CM10DOSE)	(CM10INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED11)	(CM11STDY)	(CM11SPDY)	(CM11DOSE)	(CM11INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED12)	(CM12STDY)	(CM12SPDY)	(CM12DOSE)	(CM12INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED13)	(CM13STDY)	(CM13SPDY)	(CM13DOSE)	(CM13INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED14)	(CM14STDY)	(CM14SPDY)	(CM14DOSE)	(CM14INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED15)	(CM15STDY)	(CM15SPDY)	(CM15DOSE)	(CM15INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED16)	(CM16STDY)	(CM16SPDY)	(CM16DOSE)	(CM16INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED17)	(CM17STDY)	(CM17SPDY)	(CM17DOSE)	(CM17INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED18)	(CM18STDY)	(CM18SPDY)	(CM18DOSE)	(CM18INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED19)	(CM19STDY)	(CM19SPDY)	(CM19DOSE)	(CM19INDY) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED20)	(CM20STDY)	(CM20SPDY)	(CM20DOSE)	(CM20INDY) 1-1 - Treatment of adverse event 9-9 - Other

(CONMED21)	(CM21STDT)	(CM21SPDT)	(CM21DOSE)	(CM21INDI) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED22)	(CM22STDT)	(CM22SPDT)	(CM22DOSE)	(CM22INDI) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED23)	(CM23STDT)	(CM23SPDT)	(CM23DOSE)	(CM23INDI) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED24)	(CM24STDT)	(CM24SPDT)	(CM24DOSE)	(CM24INDI) 1-1 - Treatment of adverse event 9-9 - Other
(CONMED25)	(CM25STDT)	(CM25SPDT)	(CM25DOSE)	(CM25INDI) 1-1 - Treatment of adverse event 9-9 - Other

Comments: (AE3COMM)

**Blood and Marrow Transplant Clinical
Trials Network**

Laboratory/Diagnostics Form - Unexpected, Grade 3-5 Adverse Event (AE4)

Web Version: 1.0; 3.05; 06-09-11

Segment (PROTSEG):
Date of Onset (ADVDATE):
Event description (ADVENT):

1. Report activation status: (AVSTAT_C)

1-1 - Keep report active 2-2 - Deactivated - Report filed in error 3-3 - Deactivated - Key field error 9-9 - Deactivated - Other reason
--

Laboratory Test Results

2. Were relevant laboratory tests performed? (LABTSTPF)

1 - Yes 2 - No

If Yes, record the relevant laboratory test results in the grid below.

Test	Collection Date (mm/dd/yyyy)	Result (Include units)	Site Normal Range (Include units)	Lab Value Previous to this SAE (Include units)	Collection Date for Previous Lab (mm/dd/yyyy)
(ADLTST1)	(ADL1CD)	(ADL1RES)	(ADL1NORG)	(ADL1PRVL)	(ADL1PCD)
(ADLTST2)	(ADL2CD)	(ADL2RES)	(ADL2NORG)	(ADL2PRVL)	(ADL2PCD)
(ADLTST3)	(ADL3CD)	(ADL3RES)	(ADL3NORG)	(ADL3PRVL)	(ADL3PCD)
(ADLTST4)	(ADL4CD)	(ADL4RES)	(ADL4NORG)	(ADL4PRVL)	(ADL4PCD)
(ADLTST5)	(ADL5CD)	(ADL5RES)	(ADL5NORG)	(ADL5PRVL)	(ADL5PCD)
(ADLTST6)	(ADL6CD)	(ADL6RES)	(ADL6NORG)	(ADL6PRVL)	(ADL6PCD)
(ADLTST7)	(ADL7CD)	(ADL7RES)	(ADL7NORG)	(ADL7PRVL)	(ADL7PCD)
(ADLTST8)	(ADL8CD)	(ADL8RES)	(ADL8NORG)	(ADL8PRVL)	(ADL8PCD)
(ADLTST9)	(ADL9CD)	(ADL9RES)	(ADL9NORG)	(ADL9PRVL)	(ADL9PCD)
(ADLTST10)	(ADL10CD)	(ADL10RES)	(ADL10NRG)	(ADL10PVL)	(ADL10PCD)

Diagnostic Tests (EX: MR, CT Scan, Ultrasound)

3. Were relevant diagnostic tests performed? (DXSTPF)

1 - Yes 2 - No


If Yes, record the relevant diagnostic test results in the grid below. Submit copies of the diagnostic test if available.

Test	Date Performed (mm/dd/yyyy)	Results/Comments

(ADDTS1) <input type="text"/>	(AD1DTDAT) <input type="text"/>	(AD1DTRES) <input type="text"/>
(ADDTS2) <input type="text"/>	(AD2DTDAT) <input type="text"/>	(AD2DTRES) <input type="text"/>
(ADDTS3) <input type="text"/>	(AD3DTDAT) <input type="text"/>	(AD3DTRES) <input type="text"/>
(ADDTS4) <input type="text"/>	(AD4DTDAT) <input type="text"/>	(AD4DTRES) <input type="text"/>
(ADDTS5) <input type="text"/>	(AD5DTDAT) <input type="text"/>	(AD5DTRES) <input type="text"/>

(ADDTS6) <input type="text"/>	(AD6DTDAT) <input type="text"/>	(AD6DTRES) <input type="text"/>
(ADDTS7) <input type="text"/>	(AD7DTDAT) <input type="text"/>	(AD7DTRES) <input type="text"/>
(ADDTS8) <input type="text"/>	(AD8DTDAT) <input type="text"/>	(AD8DTRES) <input type="text"/>
(ADDTS9) <input type="text"/>	(AD9DTDAT) <input type="text"/>	(AD9DTRES) <input type="text"/>
(ADDTS10) <input type="text"/>	(AD10TDT) <input type="text"/>	(AD10DTRS) <input type="text"/>

Comments: (AE4COMM)



**Blood and Marrow Transplant Clinical
Trials Network**

Review Form - Unexpected, Grade 3-5 Adverse Event (AE5)

Web Version: 1.0; 3.06; 06-09-11

Segment (PROTSEG):
Date of Onset (ADVDATE):
Event description (ADVENT):

1. Report activation status: (AVSTAT_D)

1-1 - Keep report active
2-2 - Deactivate - Report filed in error
3-3 - Deactivate - Key field error
9-9 - Deactivate - Other reason

2. Reviewed: (AEREVIEW)

1 - Yes 2 - No

3. Reviewed by: (ARFREVB Y)

4. Review date: (ARFREVD T)

 (mm/dd/yyyy)

5. Comment 1 - For Distribution: (ARCM1DIS)

6. Comment 2 - All Other Reviewers/Data Coordinating Center (ARCM2ALL)

**Blood and Marrow Transplant Clinical
Trials Network**

Medical Monitor Reviewer Form - Unexpected, Grade 3-5 Adverse Event (AE6)

Web Version: 1.0; 5.00; 10-14-11

Segment (PROTSEG):

Date of Onset (ADVDATE):

Event description (ADVENT):

1. Adverse event status: (AVSTAT_E)

1-1 - Keep report active
2-2 - Deactivate - Report filed in error
3-3 - Deactivate - Key field error
9-9 - Deactivate - Other reason

2. Has this event been determined to be an unexpected, grade 3-5 adverse event? (AMDETER)

1 - Yes 2 - No

3. Does this require expedited reporting to the FDA? (AMEXPFDA)

1 - Yes 2 - No

4. Does this require expedited reporting to the DSMB? (AMEXPDSM)

1 - Yes 2 - No

5. Do you recommend the patient be withdrawn from further protocol therapy? (AMWITHDR)

1 - Yes 2 - No

6. Is the review complete? (AMREVDNE)

1 - Yes 2 - No

7. If **No**, what additional information is required: (AMREVINF)

8. Medical Monitor event description: (AMMMEVDS)

Comments: (AE6COMM)

**Blood and Marrow Transplant Clinical
Trials Network**

Consolidative Localized Radiation Therapy Form (CLR)

Web Version: 1.0; 2.00; 04-20-09

Segment (PROTSEG):

Visit Number (VISNO):

1. Indicate the number of sites to which the patient received consolidative localized radiation therapy: (SITESCLR)

0-0 - None
1-1 - One Site
2-2 - Two Sites
3-3 - Three Sites

If the patient received consolidative localized radiation therapy, provide information regarding the therapy below:

Site	Specify Other Site	Start Date	Total Dose
2. (SIT1CLR) -Nodal Sites 1-1 - Axillary 2-2 - Cervical 3-3 - Hilar 4-4 - Iliac *Additional Options Listed Below	(SIT1SPEC)	(SIT1DATE) (mm/dd/yyyy)	(SIT1DOSE) (xxxx) cGy
3. (SIT2CLR) -Nodal Sites 1-1 - Axillary 2-2 - Cervical 3-3 - Hilar 4-4 - Iliac *Additional Options Listed Below	(SIT2SPEC)	(SIT2DATE) (mm/dd/yyyy)	(SIT2DOSE) (xxxx) cGy
4. (SIT3CLR) -Nodal Sites 1-1 - Axillary 2-2 - Cervical 3-3 - Hilar 4-4 - Iliac *Additional Options Listed Below	(SIT3SPEC)	(SIT3DATE) (mm/dd/yyyy)	(SIT3DOSE) (xxxx) cGy

Comments: (CLRCOMM)

Additional Selection Options for CLR

CLR Site 1

- 5-5 - Inguinal
- 6-6 - Intra-abdominal
- 7-7 - Mediastinal
- 8-8 - Periaortic
- 9-9 - Retroperitoneal
- 10-10 - Spleen
- 11-11 - Supraclavicular
- 12-12 - Waldeyer's Ring
- 13-13 - Other Nodal Site, Specify
- Extra Nodal Sites
- 14-14 - Bone
- 15-15 - Bone Marrow
- 16-16 - Brain
- 17-17 - GI Tract
- 18-18 - Kidney
- 19-19 - Liver
- 20-20 - Lung
- 21-21 - Pleura
- 22-22 - Skin
- 23-23 - Spinal Cord
- 24-24 - Other Extra Nodal Site, Specify

**Blood and Marrow Transplant Clinical
Trials Network**

Conditioning Regimen Form - 0401 (CND)

Web Version: 1.0; 3.01; 03-09-10

Segment (PROTSEG):

Visit Number (VISNO):

1. Record the patient's body surface area (BSA): (BSURFARE) (x.xx) m²
2. Record the date the BSA was determined: (BSURFDT) (mm/dd/yyyy)

Treatment Arm:

3. Patient is randomized to receive: (TRMNTR)

1-1- Rituxan
2-2- Bexxar

Rituxan

Record the doses and dates of Rituxan administration:

	Dose	Date
4. Rituxan-1st Dose:	(FSTRTXDS) <input type="text"/> (xxx) mg	(FSTRXDT) <input type="text"/> (mm/dd/yyyy)
5. Rituxan-2nd Dose:	(SECRTXDS) <input type="text"/> (xxx) mg	(SECRXDT) <input type="text"/> (mm/dd/yyyy)

Bexxar

Record the doses and dates of Bexxar administration:

	Dose		Date
6. Bexxar-Dosimetric:	(BXRDDS) <input type="text"/> (x) mCi		(BXRDDT) <input type="text"/> (mm/dd/yyyy)
7. Bexxar-Therapeutic:	(BXR TDS) <input type="text"/> (xxx) mCi	(TTLBDTHD) <input type="text"/> (xx) cGy	(BXR TDT) <input type="text"/> (mm/dd/yyyy)

BEAM Regimen:

BCNU

Record the dose and date of BCNU administration:

	Dose	Date
8. BCNU:	(BCNU DS) <input type="text"/> (xxx) mg	(BCNU DT) <input type="text"/> (mm/dd/yyyy)

VP-16 (Etoposide)

9. Record **Total** VP-16 dose: (VPTDOSE) (xxx) mg
10. Enter the start date of VP-16 administration: (VPSTDT) (mm/dd/yyyy)
11. Enter the end date of VP-16 administration: (VPENDDT) (mm/dd/yyyy)

Cytarabine (Ara-C)


12. Record **Total** Cytarabine dose: (CYTDOSE) (xxx) mg
13. Enter the start date of Cytarabine administration: (CYSTDT) (mm/dd/yyyy)
14. Enter the end date of Cytarabine administration: (CYENDDT) (mm/dd/yyyy)

Melphalan

Record the dose and date of Melphalan administration:

	Dose	Date
15. Melphalan:	(MELPHDS) <input type="text"/> (xxx) mg	(MELPHDT) <input type="text"/> (mm/dd/yyyy)

Comments: (COMMEND)



**Blood and Marrow Transplant Clinical
Trials Network**

Cytoreductive Therapy/ Mobilization Regimen (CYM)

Web Version: 1.0; 3.00; 04-20-09

Segment (PROTSEG):

Visit Number (VISNO):

1. Record patient's weight (PWEIGHT) (xxx.x) kg
2. Record the date the weight was obtained: (WEIGHDT) (mm/dd/yyyy)
3. Record the patient's actual body surface area (BSA): (PBSA) (x.xx) m²
4. Record the date the BSA was determined: (PBSADT) (mm/dd/yyyy)

Rituxan

5. Most recent date of Rituxan administration: (L TRTXDT) (mm/dd/yyyy)
6. Record the most recent dose of Rituxan the patient received: (RTXDOSE) (xxxx) mg
7. Start date of apheresis: (APHESTDT) (mm/dd/yyyy)
8. Did the patient receive any additional doses of Rituxan within four weeks prior to start of apheresis? (ADDLRTX) 1 - Yes 2 - No
9. How many additional doses of Rituxan did the patient receive? (NUMBRTX)

- 1-1 - One dose
2-2 - Two doses
3-3 - Three doses

Record the doses and dates of additional **Rituxan** administration:

	Dose	Date
10. 1st additional Rituxan dose:	(RTX1ADD) <input type="text"/> (xxxx) mg	(RTX1ADDT) <input type="text"/> (mm/dd/yyyy)
11. 2nd additional Rituxan dose:	(RTX2ADD) <input type="text"/> (xxxx) mg	(RTX2ADDT) <input type="text"/> (mm/dd/yyyy)
12. 3rd additional Rituxan dose:	(RTX3ADD) <input type="text"/> (xxxx) mg	(RTX3ADDT) <input type="text"/> (mm/dd/yyyy)

13. What type of mobilization therapy did the patient receive? (TYPMOBL)

- 1-1 - Chemotherapy
2-2 - Growth Factors

Chemotherapy Based Mobilization

14. Record the chemotherapy agent for mobilization: (CHEMAGEN)

- 1-1- Cyclophosphamide
2-2- Cyclophosphamide/VP-16
3-3- VP-16
4-4- ICE (ifosfamide, carboplatin, etoposide)
5-5- ESHAP (etoposide, solumedrol, ara-C, and cisplatin)
*Additional Options Listed Below

If Other, specify: (OTHER)

15. Record start date of chemotherapy administration: (CHEMDT) (mm/dd/yyyy)
16. Record total daily G-CSF dose: (GCSFDS) (xxxx) mcg
17. Enter the start date of G-CSF administration: (GCSFSDT) (mm/dd/yyyy)
18. Record the end date of G-CSF administration: (GCSFEDT) (mm/dd/yyyy)

Growth Factor Based Mobilization

19. Record the growth factor used for mobilization: (GRWTFACT)

1-1 - G-CSF
2-2 - GM-CSF
3-3 - G-CSF and GM-CSF
4-4 - AMD-3100
5-5 - Parathyroid Hormone
*Additional Options Listed Below

If Other, specify: (GRWTOTHR)

20. Record start date of growth factor administration: (GRWTDT)

 (mm/dd/yyyy)

Comments: (COMMCYM)

Additional Selection Options for CYM

Record the chemotherapy agent for mobilization:

6-6- DHAP (dexamethasone, ara-C, cisplatinum)
7-7- MINE (ifosfamide, mitoxantrone, and etoposide)
9-9- Other

Record the growth factor used for mobilization:

9-9 - Other

**Blood and Marrow Transplant Clinical
Trials Network**

Demographics (DEM)

Web Version: 1.0; 6.00; 06-22-11

- 1. Name Code: (NAMECODE)
- 2. IUBMID # (if available): (IUBMID)
- 3. CRID # (CIBMT R Recipient ID): (CRIDNUM)

	(xxxxxxxxxx)

Do NOT use IUBMID/UPN numbers in the CRID field.

- 4. Gender: (GENDER)
- 5. Date of Birth: (DOB)
- 6. Ethnicity: (ETHNIC)

<input type="checkbox"/> 1 - Male	<input type="checkbox"/> 2 - Female
	(mm/dd/yyyy)

1-1 - Hispanic or Latino
2-2 - Not Hispanic or Latino
8-8 - Unknown
9-9 - Not Answered

- 7. Race: (RACE)

-White
10-10 - White (Not Otherwise Specified)
11-11 - European (Not Otherwise Specified)
13-13 - Mediterranean
14-14 - White North American
*Additional Options Listed Below

Specify race: (RACESP)

- 8. Secondary Race: (RACE2)

-White
10-10 - White (Not Otherwise Specified)
11-11 - European (Not Otherwise Specified)
13-13 - Mediterranean
14-14 - White North American
*Additional Options Listed Below

Specify secondary race: (RACE2SP)

Comments: (DEMCOMM1)

Additional Selection Options for DEM

Race:

15-15 - South or Central American
16-16 - Eastern European
17-17 - Northern European
18-18 - Western European
81-81 - White Caribbean
82-82 - North Coast of Africa
83-83 - Middle Eastern
-Black
20-20 - Black (Not Otherwise Specified)
21-21 - African American
22-22 - African Black (Both Parents Born in Africa)
23-23 - Caribbean Black
24-24 - South or Central American Black
29-29 - Black, Other Specify
-Asian
30-30 - Asian (Not Otherwise Specified)
31-31 - Indian/South Asian
32-32 - Filipino (Pilipino)
34-34 - Japanese
35-35 - Korean
36-36 - Chinese
37-37 - Other Southeast Asian
38-38 - Vietnamese
-American Indian or Alaska Native
50-50 - Native American (Not Otherwise Specified)
51-51 - Native Alaskan/Eskimo/Aleut
52-52 - American Indian (Not Otherwise Specified)
53-53 - North American Indian
54-54 - South or Central American Indian
55-55 - Caribbean Indian
-Native Hawaiian or Other Pacific Islander
60-60 - Native Pacific Islander (Not Otherwise Specified)
61-61 - Guamanian
62-62 - Hawaiian
63-63 - Samoan
-Other
88-88 - Unknown
90-90 - Other, Specify
99-99 - Not Answered

**Blood and Marrow Transplant Clinical
Trials Network**

Death Form (DTH)

Web Version: 1.0; 4.06; 06-22-11

1. Record date of death: (DTHDT)

(mm/dd/yyyy)

2. Was an autopsy performed? (AUTPERF)

1 - Yes 2 - No

If yes, submit autopsy report to DCC

Enter appropriate cause of death code below. List in order of decreasing severity.

3. Primary cause of death: (CZDTHPRM)

1.0-1.0 - Graft Rejection or Failure
-Infection (Other than Interstitial Pneumonia)
1.1-1.1 - Autologous Recovery
1.2-1.2 - Rejection
2.1-2.1 - Bacterial
*Additional Options Listed Below



Specify other: (DTHSPEC1)

4. Secondary cause of death: (SCNDCZ1)

1.0-1.0 - Graft Rejection or Failure
-Infection (Other than Interstitial Pneumonia)
1.1-1.1 - Autologous Recovery
1.2-1.2 - Rejection
2.1-2.1 - Bacterial
*Additional Options Listed Below

Specify other: (DTHSPEC2)

5. Secondary cause of death: (SCNDCZ2)

1.0-1.0 - Graft Rejection or Failure
-Infection (Other than Interstitial Pneumonia)
1.1-1.1 - Autologous Recovery
1.2-1.2 - Rejection
2.1-2.1 - Bacterial
*Additional Options Listed Below

Specify other: (DTHSPEC3)

6. Secondary cause of death: (SCNDCZ3)

1.0-1.0 - Graft Rejection or Failure
-Infection (Other than Interstitial Pneumonia)
1.1-1.1 - Autologous Recovery
1.2-1.2 - Rejection
2.1-2.1 - Bacterial
*Additional Options Listed Below

Specify other: (DTHSPEC4)

7. Secondary cause of death: (SCNDCZ4)

1.0-1.0 - Graft Rejection or Failure
-Infection (Other than Interstitial Pneumonia)
1.1-1.1 - Autologous Recovery
1.2-1.2 - Rejection
2.1-2.1 - Bacterial
*Additional Options Listed Below

Specify other: (DTHSPEC5)

Comments: (DTCMMNTS)

Additional Selection Options for DTH

Primary cause of death:

2.2-2.2 - Fungal
2.3-2.3 - Viral
2.4-2.4 - Protozoal
2.5-2.5 - Other, Specify Below
2.9-2.9 - Organism Not Identified
-Interstitial Pneumonia
3.1-3.1 - Viral, CMV
3.2-3.2 - Viral, Other
3.3-3.3 - Pneumocystis
3.4-3.4 - Other, Specify Below
3.9-3.9 - Idiopathic
4.0-4.0 - Adult Respiratory Distress Syndrome
5.0-5.0 - Acute GVHD
6.0-6.0 - Chronic GVHD
7.0-7.0 - Recurrence or Persistence of Leukemia/Malignancy/MDS
7.1-7.1 - Persistent Disease
-Organ Failure (Not Due to GVHD or Infection)
8.1-8.1 - Liver
8.2-8.2 - Cardiac (Cardiomyopathy)
8.3-8.3 - Pulmonary
8.4-8.4 - CNS
8.5-8.5 - Renal
8.6-8.6 - Other, Specify Below
8.7-8.7 - Multiple Organ Failure, Specify Below
8.8-8.8 - Secondary Graft Failure
9.0-9.0 - Secondary Malignancy
9.1-9.1 - EBV
9.2-9.2 - Other, Specify Below
-Hemorrhage
10.1-10.1 - Pulmonary
10.2-10.2 - Intracranial
10.3-10.3 - Gastrointestinal
10.4-10.4 - Hemorrhage Not Specified
10.5-10.5 - Other, Specify Below
-Vascular
11.1-11.1 - Thromboembolic
11.2-11.2 - Disseminated Intravascular Coagulation (DIC)
11.3-11.3 - Gastrointestinal
11.4-11.4 - Thrombotic Thrombocytopenic Purpura
11.5-11.5 - Vascular Not Specified
11.9-11.9 - Other, Specify Below
12.0-12.0 - Accidental Death
13.0-13.0 - Other, Specify Below

**Blood and Marrow Transplant Clinical
Trials Network**

0401B (ENR)

Web Version: 1.0; 4.00; 06-26-09

Bexxar Enrollment Form - Segment B

1. Indicate the stem cell type of the patient's autograft. (*CELPERBM*)

1-Peripheral Blood
2-Bone Marrow

2. Indicate the total number of CD34+ cells/kg collected in the autograft: (*CD34BX*) (xx.x) x 10⁶ cells/kg

3. Indicate the total number of nucleated cell/kg collected in the autograft. (*TOTNUCEL*) (xx.x) x 10⁶ cells/kg

Comments: (*COMMBXB*)

**Blood and Marrow Transplant Clinical
Trials Network**

Follow Up Status Form (FUS)

Web Version: 1.0; 12.01; 06-27-11

Segment (PROTSEG):

Visit Number (VISNO):

1. Date of last contact: (LASTCTDT) (mm/dd/yyyy)

Since the date of the last visit indicate if any of the following have occurred:

2. Has the patient died? (DIED) 1 - Yes 2 - No

If Yes, a Death Form must be submitted.

3. Date of patient death: (DEATHDT) (mm/dd/yyyy)

4. Has the patient relapsed or experienced disease progression? (RELAPSE) 1 - Yes 2 - No

5. Date of relapse or progression: (RELAPSDT) (mm/dd/yyyy)

6. Has the patient been treated for progression/relapse? (RELAPSTX) 1 - Yes 2 - No

7. Date treatment administered: (TREATDT) (mm/dd/yyyy)

8. Indicate type of treatment: (TREATYPE)

1-1 - DLI
2-2 - PBSCs
3-3 - Chemotherapy
4-4 - Radiation
5-5 - Second Transplant
*Additional Options Listed Below

Specify other treatment: (FUS1SPEC)

9. Has the patient experienced secondary graft failure? (SECGRFAL) 1 - Yes 2 - No

10. Has the patient experienced secondary graft failure? (SECGRFAL) 1 - Yes 2 - No

11. Date of secondary graft failure: (SCGRFLDT) (mm/dd/yyyy)

12. Date of secondary graft failure: (SCGRFLDT) (mm/dd/yyyy)

13.

14. Has the patient experienced any new clinically significant infections? (NEWINFX) 1 - Yes 2 - No

If Yes, an Infection Form must be submitted.

15. Date of infection: (INFDT) (mm/dd/yyyy)

16. Has the patient been hospitalized? (HOSPITAL) 1 - Yes 2 - No

If Yes, a Re-Admission Form must be submitted.

17. Date of hospitalization: (HOSPTLDT) (mm/dd/yyyy)

18. Has the patient received a non-protocol specified transplant? (TRANSTWO) 1 - Yes 2 - No

19. Date of non-protocol specified transplant: (DATRANSP) (mm/dd/yyyy)

Comments: (FUS1COMM)

Additional Selection Options for FUS

Indicate type of treatment:

6-6 - Other Cellular Therapy

7-7 - Other

**Blood and Marrow Transplant Clinical
Trials Network**

Immune Reconstitution/Lab Form - 0401 (IMR)

Web Version: 1.0; 4.00; 04-20-09

Segment (PROTSEG):
Visit Number (VISNO):

Immune and Hematologic Function

1. Did the patient's ANC recover to $\geq 500/\mu\text{L}$ for two consecutive days? (ANCRCVR) 1 - Yes 2 - No 3 - Previously Reported

2. Record neutrophil count and specimen collection dates:

	Value	Date
1st ANC > 500/ μL :	(ANCVL1IR) <input type="text"/> (xxxx) / μL	(ANCDT1IR) <input type="text"/> (mm/dd/yyyy)
2nd ANC > 500/ μL :	(ANCVL2IR) <input type="text"/> (xxxx) / μL	(ANCDT2IR) <input type="text"/> (mm/dd/yyyy)

3. Enter the patient's most recent ANC value: (ANCRECNT) (xxxx) / μL

4. Enter the date the ANC was obtained: (ANCRCNTD) (mm/dd/yyyy)

5. Did the patient's platelet count recover to $\geq 20,000/\mu\text{L}$ for two consecutive labs with no platelet transfusions 7 days prior? (PLTRCVR) 1 - Yes 2 - No 3 - Previously Reported

6. Record platelet count and specimen collection dates:

	Value	Date
1st platelet count $\geq 20,000/\mu\text{L}$:	(PLTVL1IR) <input type="text"/> (xxxxx) / μL	(PLTDT1IR) <input type="text"/> (mm/dd/yyyy)
2nd platelet count $\geq 20,000/\mu\text{L}$:	(PLTVL2IR) <input type="text"/> (xxxxx) / μL	(PLTDT2IR) <input type="text"/> (mm/dd/yyyy)

7. Enter the patient's most recent platelet count without transfusion support: (PLTRECNT) (xxxxx) / μL

8. Enter the date the platelet count was obtained: (PLTRCNTD) (mm/dd/yyyy)

9. Enter the patient's most recent hemoglobin level without transfusion support: (HEMGLBIR) (xx.x) g/dL

10. Enter the date the hemoglobin level was obtained: (HEMGDTIR) (mm/dd/yyyy)

Immune Reconstitution

11. Were immune reconstitution assays normal at one year post-transplant? (NORMIR) 1 - Yes 2 - No

If Yes, immune reconstitution assays are not required two years post-transplant.

Flow Cytometry

12. Date flow cytometry was performed: (DTFCIMR) (mm/dd/yyyy)

13. White blood cell count: (WBCIR) (xxxxx) $\times 10^9/\text{L}$

14. Percent lymphocyte of CD45+ cells: (LMYPHIR) (xxx) %

15. CD2: (CD2IMR) (xxxx) cells/ μL

16. CD3: (CD3IMR) (xxxx) cells/ μL

17. CD4: (CD4IMR) (xxxx) cells/ μL

18. CD8: (CD8IMR) (xxxx) cells/ μL

19. CD19: (CD19IMR) (xxxx) cells/ μL

20. CD3/CD25: (CD325IMR) (xxxx) cells/ μL

21. CD45 RA: (CD45RA) (xxxx) cells/ μL

22. CD45 RO: (CD45RO) (xxxx) cells/ μL

23. CD56+/CD3-: (CD563IMR) (xxxx) cells/ μL

Quantitative Immunoglobulins

24. Date quantitative immunoglobulins assay was performed: (DTQIMR) (mm/dd/yyyy)

25. IgA: *(IGAIMR)*

(xxx) mg/dL

26. IgG: *(IGGIMR)*

(xxxx) mg/dL

27. IgM: *(IGMIMR)*

(xxx) mg/dL

Patient Research Specimens

28. Date patient research sample collected: *(DTPTCLL)*

(mm/dd/yyyy)

29. Record the research sample ID#: *(IDPTRS)*

Comments: *(COMMIMR)*

**Blood and Marrow Transplant Clinical
Trials Network**

Infection Form (INF)

Web Version: 1.0; 4.00; 12-21-11

Segment (PROTSEG):
Infection Site (INFSITE):
Infection Start Date (INFSTDY):

INFECTION I

1. Type of infection: (INFTYP01)

B-B - Bacteria
V-V - Viral
F-F - Fungal
P-P - Protozoal
O-O - Other

2. Organism I: (ORGN01)

B01-B01 - Acinetobacter (baumanii, calcoaceticus, lwoffii, otherspecies)
B02-B02 - Agrobacterium radiobacter
B03-B03 - Alcaligenes xylosoxidans
B04-B04 - Anaerobic bacteria (NOS, except for Bacteroides, Clostridium)
B05-B05 - Bacillus (cereus, other species)
*Additional Options Listed Below



If other specify: (INFSPEC1)

3. Record the level of certainty of the fungal infection diagnosis: (CERTNTY1)

1-1 - Proven Fungal Infection
2-2 - Probable Fungal Infection
3-3 - Possible Fungal Infection

4. Severity of infection: (SVRTY01)

1-1 - Moderate
2-2 - Severe
3-3 - Life-Threatening/Fatal

INFECTION II

5. Type of infection: (INFTYP02)

B-B - Bacteria
V-V - Viral
F-F - Fungal
P-P - Protozoal
O-O - Other

6. Organism II: (ORGN02)

B01-B01 - Acinetobacter (baumanii, calcoaceticus, lwoffii, otherspecies)
B02-B02 - Agrobacterium radiobacter
B03-B03 - Alcaligenes xylosoxidans
B04-B04 - Anaerobic bacteria (NOS, except for Bacteroides, Clostridium)
B05-B05 - Bacillus (cereus, other species)
*Additional Options Listed Below

If other specify: (INFSPEC2)

7. Record the level of certainty of the fungal infection diagnosis: (CERTNTY2)

1-1 - Proven Fungal Infection
2-2 - Probable Fungal Infection
3-3 - Possible Fungal Infection

8. Severity of infection: (SVRTY02)

1-1 - Moderate
2-2 - Severe
3-3 - Life-Threatening/Fatal

INFECTION III

9. Type of infection: (INFTYP03)

B-B - Bacteria
V-V - Viral
F-F - Fungal
P-P - Protozoal
O-O - Other

10. Organism III: (ORGN03)

BO1-B01 - A cinetobacter (baumanii, calcoaceticus, lwoffii, other species)
BO2-B02 - A grobacterium radiobacter
BO3-B03 - A lcaligenes xylosoxidans
BO4-B04 - A naerobic bacteria (NOS, except for Bacteroides, Clostridium)
BO5-B05 - Bacillus (cereus, other species)
*Additional Options Listed Below

If other specify: (INFSPEC3)

11. Record the level of certainty of the fungal infection diagnosis: (CERTNTY3)

1-1 - Proven Fungal Infection
2-2 - Probable Fungal Infection
3-3 - Possible Fungal Infection

12. Severity of infection: (SVRTY03)

1-1 - Moderate
2-2 - Severe
3-3 - Life-Threatening/Fatal

13. Was an agent(s) administered to treat the infection(s)? (TRTINF)

1 - Yes 2 - No

Provide agent(s) administered for this infectious period:

14. 1st agent: (AGENT1)

abacavir-abacavir (Ziagen)
acyclovir-acyclovir (Zovirax)
albendazole-albendazole (Albenza)
amantadine-amantadine (Symmetrel, Symadine)
amikacin-amikacin (Amikin)
*Additional Options Listed Below

If other specify: (AGTSPEC1)

15. 2nd agent: (AGENT2)

abacavir-abacavir (Ziagen)
acyclovir-acyclovir (Zovirax)
albendazole-albendazole (Albenza)
amantadine-amantadine (Symmetrel, Symadine)
amikacin-amikacin (Amikin)
*Additional Options Listed Below

If other specify: (AGTSPEC2)

16. 3rd agent: (AGENT3)

abacavir-abacavir (Ziagen)
acyclovir-acyclovir (Zovirax)
albendazole-albendazole (Albenza)
amantadine-amantadine (Symmetrel, Symadine)
amikacin-amikacin (Amikin)
*Additional Options Listed Below

If other specify: (AGTSPEC3)

17. Were additional agents administered for this infectious period? (ADDAAGENT)

1 - Yes 2 - No

If yes, specify additional agents administered: (INFSPEC4)

Comments: (INFCOM)

Additional Selection Options for INF

Infection Site (*INFSITE*) (key field):

01-01 - Blood/Buffy Coat
02-02 - Disseminated - Generalized, Isolated at 2 or More Distinct Sites
03-03 - Brain
04-04 - Spinal Cord
05-05 - Meninges and CSF
06-06 - Central Nervous System Unspecified
07-07 - Lips
08-08 - Tongue, Oral Cavity, and Oro-Pharynx
09-09 - Esophagus
10-10 - Stomach
11-11 - Gallbladder and Biliary Tree (Not Hepatitis), Pancreas
12-12 - Small Intestine
13-13 - Large Intestine
14-14 - Feces/Stool
15-15 - Peritoneum
16-16 - Liver
17-17 - Gastrointestinal Tract Unspecified
18-18 - Upper Airway and Nasopharynx
19-19 - Larynx
20-20 - Lower Respiratory Tract (Lung)
21-21 - Pleural Cavity, Pleural Fluid
22-22 - Sinuses
23-23 - Respiratory Tract Unspecified
24-24 - Kidneys, Renal Pelvis, Ureters and Bladder
25-25 - Prostate
26-26 - Testes
27-27 - Fallopian Tubes, Uterus, Cervix
28-28 - Vagina
29-29 - Genito-Urinary Tract Unspecified
30-30 - Genital Area
31-31 - Rash, Pustules, or Abscesses Not Typical of Any of the Above
32-32 - Skin Unspecified
33-33 - Woundsite
34-34 - Catheter Tip
35-35 - Eyes
36-36 - Ears
37-37 - Joints
38-38 - Bone Marrow
39-39 - Bone Cortex (Osteomyelitis)
40-40 - Muscle (Excluding Cardiac)
41-41 - Cardiac (Endocardium, Myocardium, Pericardium)
42-42 - Lymph Nodes
43-43 - Spleen
99-99 - Other Unspecified

Organism I:

B06-B06 - Bacteroides (*gracilis*, *uniformis*, *vulgaris*, other species)
B07-B07 - Borrelia (Lyme disease)
B08-B08 - Brachyella or Moraxella catarrhalis (other species)
B09-B09 - Campylobacter (all species)
B11-B11 - Chlamydia
B12-B12 - Citrobacter (*freundii*, other species)
B13-B13 - Clostridium (all species except *difficile*)
B14-B14 - Clostridium *difficile*
B15-B15 - Corynebacterium (all non-diphtheria species)
B16-B16 - Coxiella
B17-B17 - Enterobacter
B18-B18 - Enterococcus (all species)
B19-B19 - Escherichia (also *E. coli*)
B20-B20 - Flavimonas oryzihabitans
B21-B21 - Flavobacterium
B22-B22 - Fusobacterium *nudeatum*
B23-B23 - Gram Negative Diplococci (NOS)
B24-B24 - Gram Negative Rod (NOS)
B25-B25 - Gram Positive Cocci (NOS)
B26-B26 - Gram Positive Rod (NOS)
B27-B27 - Haemophilus (all species including *influenzae*)
B28-B28 - Helicobacter *pylori*
B29-B29 - Klebsiella
B30-B30 - Lactobacillus (*bulgaricus*, *acidophilus*, other species)
B31-B31 - Legionella
B32-B32 - Leptospira
B33-B33 - Leptotrichia *buccalis*
B34-B34 - Leuconostoc (all species)
B35-B35 - Listeria
B36-B36 - Methylobacterium
B37-B37 - Micrococcus (NOS)
B38-B38 - Mycobacteria (*avium*, *bovium*, *haemophilum*, *intercellulare*)
B39-B39 - Mycoplasma
B40-B40 - Neisseria (*gonorrhoea*, *meningitidis*, other species)
B41-B41 - Nocardia
B42-B42 - Pharyngeal/Respiratory Flora
B43-B43 - Propionibacterium (*acnes*, *avidum*,

granulorum, other species)
 B44-B44 - Pseudomonas (all species except cepacia and maltophilia)
 B45-B45 - Pseudomonas or Burkholderia cepacia
 B46-B46 - Pseudomonas or Stenotrophomonas or Xanthomonas maltophilia
 B47-B47 - Rhodococcus
 B48-B48 - Rickettsia
 B49-B49 - Salmonella (all species)
 B50-B50 - Serratia marcescens
 B51-B51 - Shigella
 B52-B52 - Staphylococcus (coag -)
 B53-B53 - Staphylococcus (coag +)
 B54-B54 - Staphylococcus (NOS)
 B55-B55 - Stomatococcus muliginosus
 B56-B56 - Streptococcus (all species except Enterococcus)
 B57-B57 - Treponema (syphilis)
 B58-B58 - Tuberculosis (NOS, AFB, acid fast bacillus, Koch bacillus)
 B59-B59 - Typical Tuberculosis (TB, Tuberculosis)
 B60-B60 - Vibrio (all species)
 B99-B99 - Other Bacteria
 V01-V01 - Herpes Simplex (HSV1, HSV2)
 V02-V02 - Herpes Zoster (Chicken pox, Varicella)
 V03-V03 - Cytomegalovirus (CMV)
 V04-V04 - Adenovirus
 V05-V05 - Enterovirus (Coxsackie, Echo, Polio)
 V06-V06 - Hepatitis A (HAV)
 V07-V07 - Hepatitis B (HBV, Australian antigen)
 V08-V08 - Hepatitis C (includes non-A and non-B, HCV)
 V09-V09 - HIV-1, HTLV-III
 V10-V10 - Influenza (Flu)
 V11-V11 - Measles (Rubeola)
 V12-V12 - Mumps
 V13-V13 - Papovavirus
 V14-V14 - Respiratory Syncytial virus (RSV)
 V15-V15 - Rubella (German Measles)
 V16-V16 - Parainfluenza
 V17-V17 - HHV-6 (Human Herpes Virus)
 V18-V18 - Epstein-Barr Virus (EBV)
 V19-V19 - Polyomavirus
 V20-V20 - Rotavirus
 V21-V21 - Rhinovirus (Common Cold)
 V22-V22 - Other Viral
 P01-P1 - Pneumocystis (PCP)
 P02-P2 - Toxoplasma
 P03-P3 - Giardia
 P04-P4 - Cryptosporidium
 P05-P5 - Amebiasis
 P06-P6 - Echinococcal cyst
 P07-P7 - Trichomonas (either vaginal or gingivitis)
 P08-P8 - Other Protozoal (Parasite)
 O01-O1 - Mycobacterium Tuberculosis
 O02-O2 - Other Mycobacterium
 O03-O3 - Mycoplasma
 O04-O4 - Other Organism
 F01-F01 - Candida Albicans
 F02-F02 - Candida Krusei
 F03-F03 - Candida Parasitosis
 F04-F04 - Candida Tropicalis
 F05-F05 - Torulopsis Galbrata (a subspecies of Candida)
 F06-F06 - Candida (NOS)
 F07-F07 - Aspergillus Flavus
 F08-F08 - Aspergillus Fumigatus
 F09-F09 - Aspergillus Niger
 F10-F10 - Aspergillus (NOS)
 F11-F11 - Cryptococcus Species
 F12-F12 - Fusarium Species
 F13-F13 - Mucormycosis (Zygomycetes, Rhizopus)
 F14-F14 - Yeast (NOS)
 F15-F15 - Other Fungus

1st agent:

amoxicillin / clavulanate-amoxicillin / clavulanate (Augmentin)
 amphotericin b-amphotericin b (Abelcet, Amphotec, Fungizone)
 ampicillin-ampicillin (Omnipen, Polycillin)
 ampicillin / sulbactam-ampicillin / sulbactam (Unasyn)
 amprenavir-amprenavir (Agenerase)
 atovaquone-atovaquone (Mepron)
 azithromycin-azithromycin (Zithromax, Z-Pack)
 cefaclor-cefaclor (Ceclor)
 cefadroxil-cefadroxil (Duricef, Ultracef)
 cefazolin-cefazolin (Ancef, Kefzol)
 cefdinir-cefdinir (Omnicef)
 cefepime-cefepime (Maxipime)
 cefixime-cefixime (Suprax)
 cefoperazone-cefoperazone (Cefobid)
 cefotaxime-cefotaxime (Claforan)
 cefotetan-cefotetan (Cefotan)

cefoxitin-cefoxitin (Mefoxin)
cefepime-cefepime (Vantin)
cefprozil-cefprozil (Cefzil)
ceftazidime-ceftazidime (Fortaz, Tazicef)
ceftriaxone-ceftioxa (Rocephin)
cefuroxime-cefuroxime (Ceftin, Kefurox, Zinacef)
cephalexin-cephalexin (Keflet, Keflex, Keftab)
chloramphenicol-chloramphenicol (Chloromycetin)
cidofovir-cidofovir (Vistide)
ciprofloxacin-ciprofloxacin (Cipro)
clarithromycin-clarithromycin (Biaxin)
clindamycin-clindamycin (Cleocin)
clotrimazole-clotrimazole (Mycelex, Lotrimin)
clotrimazole / betamethasone-clotrimazole / betamethasone (Lotrisone)
co-trimoxazole-co-trimoxazole (Bactrim, Septra, Sulfamethoprim)
dapsone-dapsone (DDS)
dicloxacillin-dicloxacillin (Dycill, Dynapen, Pathocil)
didanosine-didanosine (Videx, ddi)
doxycycline-doxycycline (Vibramycin)
efavirenz-efavirenz (Sustiva)
erythromycin-erythromycin (Ery-Tab, Ilosone, Pediamycin)
erythromycin/sulfisoxazole-erythromycin ethyl/sulfisoxazole (Pediazole)
erythromycin topical-erythromycin topical (Akne-mycin, Eryderm)
ethambutol-ethambutol (Myambutol)
famciclovir-famciclovir (Famvir)
fluconazole-fluconazole (Diflucan)
flucytosine-flucytosine (Ancobon)
foscamet-foscamet (Foscavir)
ganciclovir-ganciclovir (Cytovene)
gatifloxacin-gatifloxacin (Tequin)
gentamicin-gentamicin (Garamycin, Gentacidin)
grepafloxacin-grepafloxacin (Raxar)
hepatitis a vaccine-hepatitis a vaccine (Havrix, Vaqta)
hepatitis b vaccine-hepatitis b vaccine (Recombivax HB, Engerix-B)
hepatitis c vaccine-hepatitis c vaccine
imipenem / cilastatin-imipenem / cilastatin (Primaxin)
imiquimod-imiquimod (Aldara)
indinavir-indinavir (Crivivan)
interferon alfacon-1-interferon alfacon-1 (Infergen)
interferon beta-1a-interferon beta-1a (Avonex)
interferon beta-1b-interferon beta-1b (Betaseron)
isoniazid-isoniazid (INH, Lanizid, Nydrizid)
itraconazole-itraconazole (Sporonox)
ivermectin-ivermectin (Stromectol)
kanamycin-kanamycin (Kantrex)
ketoconazole-ketoconazole (Nizoral)
lamivudine-lamivudine (EpiVir, 3TC)
levofloxacin-levofloxacin (Levaquin)
linezolid-linezolid (Zyvox)
lopinavir/ritonavir-lopinavir/ritonavir (Kaletra)
mefloquine-mefloquine (Lariam)
meropenem-meropenem (Merrem I.V.)
metronidazole-metronidazole (Flagyl, Protostat)
minocycline-minocycline (Arestin)
moxifloxacin hydrochloride-moxifloxacin hydrochloride (Avelox)
mupirocin-mupirocin (Bactroban)
nafcillin-nafcillin (Nalpen, Unipen)
nefinavir-nefinavir (Viracept)
neomycin-neomycin (Mycifradin, Myciguent)
neomycin / polymyxin / hydrocortisone-neomycin / polymyxin / hydrocortisone (Cortisporin)
nevirapine-nevirapine (Viramune)
nitrofurantoin-nitrofurantoin (Macrobid)
nystatin-nystatin (Mycostatin)
oseltamivir-oseltamivir (Tamiflu)
oxacillin-oxacillin (Bactocil)
palivizumab-palivizumab (Synagis)
penicillin g-penicillin g (Bicillin)
penicillin vk-penicillin vk (V-Cillin K, Veetids)
pentamidine-pentamidine (Pentam 300)
piperacillin-piperacillin (Pipracil)
piperacillin/tazobactam-piperacillin/tazobactam (Zosyn)
podofilox-podofilox (Condylox)
polymyxin-polymyxin (Ak-Spore H.C., Cortisporin Ophthalmic Suspension)
ppd-PPD skin test (Mantoux Test, Tine Test)
pyrazinamide-pyrazinamide (Rifater)
pyrimethamine-pyrimethamine (Daraprim)
quinidine gluconate-quinidine gluconate (Duraquin, Cardioquin)
quinupristin/dalfopristin-quinupristin/dalfopristin (Synercid)
respiratory syncytial immune globulin-respiratory syncytial immune globulin (Respigam)
ribavirin-ribavirin (Virazole)
rifampin-rifampin (Rifadin, Rimactane)
rifampin/isoniazid-rifampin/isoniazid (Rifamate, Rimactane/INH)
rifampin/isoniazid/pyrazinamide-rifampin/isoniazid/pyrazinamide (Rifater)
rimantadine-rimantadine (Flumadine)
ritonavir-ritonavir (Norvir)
saquinavir mesylate-saquinavir mesylate (Fortovase, Invirase)
stavudine-stavudine (d4T, Zerit)

streptomycin-streptomycin (Streptomycin sulfate)
sulfamethoxazole / trimethoprim-sulfamethoxazole / trimethoprim (Bactrim)
terbinafine-terbinafine (Lamisil)
terconazole-terconazole (Terazol)
tetracycline-tetracycline (Achromycin)
ticarcillin / clavulanate-ticarcillin / clavulanate (Ticar, Timentin)
tobramycin-tobramycin (Nebcin, Tobrex, Tobradex)
trimethoprim / sulfamethoxazole-trimethoprim / sulfamethoxazole (Bactrim, Septra, Co-trimoxazole)
valacyclovir-valacyclovir (Valtrex)
valganciclovir-valganciclovir (Valcyte)
vancomycin-vancomycin (Vancocin)
zidovudine-zidovudine (AZT, Retrovir)
other-other

Blood and Marrow Transplant Clinical Trials Network

Mucositis Assessment Form (MUC)

Web Version: 1.0; 4.03; 06-28-10

Segment (PROTSEG):

Visit Number (VISNO):

1. Did the patient receive Kevivance pre- or post-transplant? (RCVKEPIV) 1 - Yes 2 - No

2. Start of assessment period: (MUCSTRDT) (mm/dd/yyyy)

3. End of assessment period: (MUCENDDT) (mm/dd/yyyy)

First Mucositis Assessment

4. Indicate the date of the first mucositis assessment in the assessment period: (MUC1DATE) (mm/dd/yyyy)

5. Indicate what the patient was able to consume: (MUC1DIET)
 1-1 - Solids
 2-2 - Liquids Only
 3-3 - Nothing Per Oral

6. If the patient is consuming liquids only or nothing per oral, is it due to oral mucositis? (MUC1ORAL) 1 - Yes 2 - No

7. If no, what does the patient believe he/she could eat based on how his/her mouth feels: (MUC1EATS)
 1-1 - Solids
 2-2 - Liquids Only
 3-3 - Nothing Per Oral

8. Indicate if patient is experiencing any mouth soreness or pain: (MUC1PAIN) 1 - Yes 2 - No

Anatomical Site	Presence of Ulceration	Degree of Erythema
9. Maxillary labial mucosa:	(MAX1ULCR) <input type="text"/> 1-1 - Yes 2-2 - No	(MAX1ERYT) <input type="text"/> 0-0 - None 1-1 - Mild to Moderate 2-2 - Severe
10. Mandibular labial mucosa:	(MAN1ULCR) <input type="text"/> 1-1 - Yes 2-2 - No	(MAN1ERYT) <input type="text"/> 0-0 - None 1-1 - Mild to Moderate 2-2 - Severe
11. Right buccal mucosa:	(RBU1ULCR) <input type="text"/> 1-1 - Yes 2-2 - No	(RBU1ERYT) <input type="text"/> 0-0 - None 1-1 - Mild to Moderate 2-2 - Severe
12. Left buccal mucosa:	(LBU1ULCR) <input type="text"/> 1-1 - Yes 2-2 - No	(LBU1ERYT) <input type="text"/> 0-0 - None 1-1 - Mild to Moderate 2-2 - Severe
13. Right lateral and ventral tongue:	(RTN1ULCR) <input type="text"/> 1-1 - Yes 2-2 - No	(RTN1ERYT) <input type="text"/> 0-0 - None 1-1 - Mild to Moderate 2-2 - Severe
14. Left lateral and ventral tongue:	(LTN1ULCR) <input type="text"/> 1-1 - Yes 2-2 - No	(LTN1ERYT) <input type="text"/> 0-0 - None 1-1 - Mild to Moderate 2-2 - Severe
15. Floor of mouth and lingual frenum:	(MTH1ULCR) <input type="text"/> 1-1 - Yes 2-2 - No	(MTH1ERYT) <input type="text"/> 0-0 - None 1-1 - Mild to Moderate 2-2 - Severe

16. Soft palate and fauces:	<input type="checkbox"/> 1-1 - Yes <input type="checkbox"/> 2-2 - No (PAL1ULCR)	<input type="checkbox"/> 0-0 - None <input type="checkbox"/> 1-1 - Mild to Moderate <input type="checkbox"/> 2-2 - Severe (PAL1ERYT)
-----------------------------	---	---

17. WHO toxicity grade: (TOX1SCR)

 0-0 - Grade 0
 1-1 - Grade 1
 2-2 - Grade 2
 3-3 - Grade 3
 4-4 - Grade 4

Second Mucositis Assessment

18. Indicate the date of the second mucositis assessment in the assessment period: (MUC2DATE)

 (mm/dd/yyyy)

19. Indicate what the patient was able to consume: (MUC2DIET)

 1-1 - Solids
 2-2 - Liquids Only
 3-3 - Nothing Per Oral

20. If the patient is consuming liquids only or nothing per oral, is it due to oral mucositis? (MUC2ORAL)

 1 - Yes 2 - No

21. If no, what does the patient believe he/she could eat based on how his/her mouth feels: (MUC2EATS)

 1-1 - Solids
 2-2 - Liquids Only
 3-3 - Nothing Per Oral

22. Indicate if patient is experiencing any mouth soreness or pain: (MUC2PAIN)


 1 - Yes 2 - No

Anatomical Site	Presence of Ulceration	Degree of Erythema
23. Maxillary labial mucosa:	<input type="checkbox"/> 1-1 - Yes <input type="checkbox"/> 2-2 - No (MAX2ULCR)	<input type="checkbox"/> 0-0 - None <input type="checkbox"/> 1-1 - Mild to Moderate <input type="checkbox"/> 2-2 - Severe (MAX2ERYT)
24. Mandibular labial mucosa:	<input type="checkbox"/> 1-1 - Yes <input type="checkbox"/> 2-2 - No (MAN2ULCR)	<input type="checkbox"/> 0-0 - None <input type="checkbox"/> 1-1 - Mild to Moderate <input type="checkbox"/> 2-2 - Severe (MAN2ERYT)
25. Right buccal mucosa:	<input type="checkbox"/> 1-1 - Yes <input type="checkbox"/> 2-2 - No (RBU2ULCR)	<input type="checkbox"/> 0-0 - None <input type="checkbox"/> 1-1 - Mild to Moderate <input type="checkbox"/> 2-2 - Severe (RBU2ERYT)
26. Left buccal mucosa:	<input type="checkbox"/> 1-1 - Yes <input type="checkbox"/> 2-2 - No (LBU2ULCR)	<input type="checkbox"/> 0-0 - None <input type="checkbox"/> 1-1 - Mild to Moderate <input type="checkbox"/> 2-2 - Severe (LBU2ERYT)
27. Right lateral and ventral tongue:	<input type="checkbox"/> 1-1 - Yes <input type="checkbox"/> 2-2 - No (RTN2ULCR)	<input type="checkbox"/> 0-0 - None <input type="checkbox"/> 1-1 - Mild to Moderate <input type="checkbox"/> 2-2 - Severe (RTN2ERYT)
28. Left lateral and ventral tongue:	<input type="checkbox"/> 1-1 - Yes <input type="checkbox"/> 2-2 - No (LTN2ULCR)	<input type="checkbox"/> 0-0 - None <input type="checkbox"/> 1-1 - Mild to Moderate <input type="checkbox"/> 2-2 - Severe (LTN2ERYT)
29. Floor of mouth and lingual frenum:	<input type="checkbox"/> 1-1 - Yes <input type="checkbox"/> 2-2 - No (MTH2ULCR)	<input type="checkbox"/> 0-0 - None <input type="checkbox"/> 1-1 - Mild to Moderate <input type="checkbox"/> 2-2 - Severe (MTH2ERYT)
30. Soft palate and fauces:	<input type="checkbox"/> 1-1 - Yes <input type="checkbox"/> 2-2 - No (PAL2ULCR)	<input type="checkbox"/> 0-0 - None <input type="checkbox"/> 1-1 - Mild to Moderate <input type="checkbox"/> 2-2 - Severe (PAL2ERYT)

31. WHO toxicity grade: (TOX2SCR)

0-0 - Grade 0
1-1 - Grade 1
2-2 - Grade 2
3-3 - Grade 3
4-4 - Grade 4

Comments: (MUCCOMM)



**Blood and Marrow Transplant Clinical
Trials Network**

Progression/Relapse Form (PRE)

Web Version: 1.0; 3.01; 04-23-10

Progression/Relapse Date (PRRELPDT):

1. Record reason for form completion: (RESFRFRM) 1 - Progression 2 - Relapse

2. Indicate how progression or relapse was determined:

CT: (CTDET) 1 - Yes 2 - No

MRi: (MRIDET) 1 - Yes 2 - No

PET Scan: (PETDET) 1 - Yes 2 - No

Ultrasound: (ULTSNDET) 1 - Yes 2 - No

Physical Exam: (PHYEXDET) 1 - Yes 2 - No

Biopsy: (BIOPSYPR) 1 - Yes 2 - No

3. If biopsy was used, indicate the site(s) of biopsy:

Bone Marrow: (BNEMRROW) 1 - Yes 2 - No

Lymph Node: (LYMPHNOD) 1 - Yes 2 - No

Extra-nodal: (EXTRANOD) 1 - Yes 2 - No

4. Were there any new lesions or sites of disease? (APPNEWLE) 1 - Yes 2 - No

5. If yes, record the date of appearance of new lesions or sites of disease: (DTAPPLES) (mm/dd/yyyy)

Questions 7-8 relate ONLY to patients who have progressed (that is patients who have, pre-transplant, been previously classified as Partial Remission or Stable Disease.)

6. Was there a > 50% increase from nadir in the SPD of any previously identified abnormal node? (INCRSPD) 1 - Yes 2 - No

7. If yes, record the date of occurrence: (DTSPDINC) (mm/dd/yyyy)

Questions 9-12 relate ONLY to patients who have relapsed (that is patients who have, pre-transplant, been previously classified as Complete Remission, Continued Complete Remission or Complete Remission Undetermined.)

8. Was there a \geq 50% increase in the greatest diameter of any previously identified node > 1 cm in its short axis or in the SPD of more than 1 node? (INCRDIAM) 1 - Yes 2 - No

9. If yes, record the date of occurrence: (DTINCDIA) (mm/dd/yyyy)

10. Was there was a \geq 50% increase in the size of any previously involved, extra-nodal lesions or sites? (INCRINST) 1 - Yes 2 - No

11. If yes, record the date of occurrence: (DATINCRE) (mm/dd/yyyy)

Comments: (PRECOMM)

**Blood and Marrow Transplant Clinical
Trials Network**

Toxicity Form - 0401 (TX6)

Web Version: 1.0; 4.01; 06-28-10

Segment (*PROTSEG*):

Visit Number (*VISNO*):

1. Record date of evaluation: (*TX6EVLDT*) (mm/dd/yyyy)

Record the highest grade of mobilization-related toxicities diagnosed. The toxicity grades are based on the NCI CTCAE Version 3.0.
Record the highest grade of Bexxar or Rituxan-related toxicities. The toxicity grades are based on the NCI CTCAE Version 3.0.
Record the highest grade of toxicity diagnosed since the previous evaluation. If this is the first evaluation, record the highest toxicity diagnosed since Day 0.
The toxicity grades are based on the NCI CTCAE Version 3.0.

Renal Toxicity

2. Did the patient experience renal failure severe enough to warrant dialysis? (*TX6RENAL*) 1 - Yes 2 - No
3. Did the patient receive dialysis? (*TX6DIALS*) 1 - Yes 2 - No

4. Lower GI Toxicity

5. Diarrhea: (*TX6DIARR*)

0-0 - Grades 0-2
3-3 - Inc by 7+ stools overbaseline; require IVF >or= 24hrs; hosp; severe inc in ostomy output
4-4 - Resulting in hemodynamic Insufficiency or life threatening consequences
5-5 - Death

6. Hemorrhagic cystitis: (*TX6CYSTI*)

0-0 - Grades 0-2
3-3 - Transfusion; IV Pain Medications; Bladder Irrigation Indicated
4-4 - Catastrophic Bleeding; Major Non-Elective Intervention Indicated
5-5 - Death

Hemorrhagic Toxicity

7. Hemorrhage: (*TX6HEMRG*)

0-0 - Grades 0-3
4-4 - Catastrophic Bleeding; Requiring Major Non-Elective Intervention
5-5 - Death

Cardiovascular Toxicity

8. Hypotension: (*TX6HYPOT*)

0-0 - Grades 0-2
3-3 - Sustained (> or = 24 Hours) Therapy, Resolves Without Persisting Physiologic Consequences
4-4 - Shock (e.g., Acidemia; Impairment of Vital Organ Function)
5-5 - Death

9. Cardiac arrhythmia: (*TX6CRDAR*)

0-0 - Grades 0-2
3-3 - Incompletely Controlled Medically, or Controlled with Device (e.g., Pacemaker)
4-4 - Life-Threatening; Disabling (e.g., Arrhythmia Associated with CHF, Syncope, Shock)
5-5 - Death

10. Left ventricular systolic dysfunction: (*TX6LVENT*)

0-0 - Grades 0-2
3-3 - Symptomatic CHF Responsive to Intervention
4-4 - Refractory CHF or Poorly Controlled; Intervention with Ventricular Assist Device
5-5 - Death

Neurologic Toxicity

11. Somnolence: (*TX6SMNLN*)

0-0 - Grades 0-2
3-3 - Obtundation or Stupor; Difficult to Arouse; Interfering with ADL
4-4 - Coma
5-5 - Death

12. Did the patient experience any seizures during this assessment period? (*TX6SEIZR*) 1 - Yes 2 - No

13. Record seizure toxicity grade: (TX6SZGRD)

2-2 - One Brief Generalized Seizure; Seizure(s) Well Controlled by Anticonvulsants
 3-3 - Seizures in Which Consciousness is Altered; Poorly Controlled Seizure Disorder
 4-4 - Seizures of Any Kind Which are Prolonged, Repetitive or Difficult to Control
 5-5 - Death

Coagulation Toxicity

14. HUS/TTP/thrombotic microangiopathy: (TX6DIC)

0-0 - Grades 0-3
 4-4 - Laboratory Findings, Life-Threatening or Disabling Consequences
 5-5 - Death

Vascular Toxicity

15. Vascular leak syndrome: (TX6VASLK)

0-0 - Grades 0-3
 4-4 - Life-Threatening; Pressor Support or Ventilatory Support Indicated
 5-5 - Death

Pulmonary Toxicity

16. Hypoxia (for more than 24 hours): (TX6HYPXI)

0-0 - Grades 0-2
 3-3 - Decreased Oxygen Saturation at Rest; Continuous Oxygen Indicated
 4-4 - Life-Threatening; Intubation or Ventilation Indicated
 5-5 - Death

17. Dyspnea: (TX6DYSNP)

0-0 - Grades 0-2
 3-3 - Dyspnea with Activities of Daily Living
 4-4 - Dyspnea at Rest; Intubation or Ventilator Indicated
 5-5 - Death

18. During this assessment period, was an FEV1 performed? (TX6FEVDN)

1 - Yes 2 - No

19. Record FEV1 value obtained: (TX6FEVVL)

(xxx) % of predicted value

20. During this assessment period, was an FVC performed? (TX6FVCDN)

1 - Yes 2 - No

21. Record FVC value obtained: (TX6FVCVL)

(xxx) % of predicted value

Hepatic Toxicity

22. Did the patient develop abnormal liver function during this assessment period? (TX6ABNLF)

1 - Yes 2 - No

Did the patient develop any of the following clinical signs/symptoms of abnormal liver function during this assessment period?

23. Jaundice: (TX6JANDC)

1 - Yes 2 - No

24. Hepatomegaly: (TX6HPTMG)

1 - Yes 2 - No

25. Right upper quadrant pain: (TX6QUADP)

1 - Yes 2 - No

26. Weight gain (>5%) from baseline: (TX6WGHTG)

1 - Yes 2 - No

27. Other clinical signs/symptoms: (TX6OTHAB)

1 - Yes 2 - No

Specify other clinical signs/symptoms: (TX6SPEC1)

Indicate the etiology of the abnormal liver function:

	Etiology	Biopsy Results	Doppler Ultrasound Results
28. VOD:	(TX6VODET) 1-1 - Yes 2-2 - No	(TX6VODBI) 1-1 - Positive 2-2 - Negative 3-3 - Equivocal 4-4 - Not Done	(TX6VODDP) 1-1 - Confirmed 2-2 - Not Confirmed 3-3 - Not Done
29. Infection:	(TX6INFET) 1-1 - Yes 2-2 - No	(TX6INFBI) 1-1 - Positive 2-2 - Negative 3-3 - Equivocal 4-4 - Not Done	(TX6INFDP) 1-1 - Confirmed 2-2 - Not Confirmed 3-3 - Not Done
30. Other:	(TX6OTHET) 1-1 - Yes 2-2 - No	(TX6OTHBI) 1-1 - Positive 2-2 - Negative 3-3 - Equivocal 4-4 - Not Done	(TX6OTHDP) 1-1 - Confirmed 2-2 - Not Confirmed 3-3 - Not Done

31. Unknown:	<input type="checkbox"/> 1-1 - Yes <input checked="" type="checkbox"/> 2-2 - No (TX6UNKET)		
--------------	--	--	--

Specify other etiology: (TX6SPEC2)

CBC

	Most Recent Value	Date of Sample
32. RBC	(TX6RBC) <input type="text"/> (x.x) million/mm ³	(TX6RBCDT) <input type="text"/> (mm/dd/yyyy)
33. Hematocrit	(TX6HCT) <input type="text"/> (xx.x) %	(TX6HCTDT) <input type="text"/> (mm/dd/yyyy)
34. Hemoglobin	(TX6HMG) <input type="text"/> (xx.x) g/dL	(TX6HMGDT) <input type="text"/> (mm/dd/yyyy)
35. WBC	(TX6WBC) <input type="text"/> (xxxxxx) /mCL	(TX6WBCDT) <input type="text"/> (mm/dd/yyyy)
36. Platelet Count	(TX6PLTL) <input type="text"/> (xxxxxx) /mCL	(TX6PLTDT) <input type="text"/> (mm/dd/yyyy)
37. Neutrophils	(TX6NEUT) <input type="text"/> (xxxxxx) /mCL	(TX6NETDT) <input type="text"/> (mm/dd/yyyy)
38. Lymphocytes	(TX6LYMP) <input type="text"/> (xxxx) /mCL	(TX6LYMDT) <input type="text"/> (mm/dd/yyyy)

Chemistry and LFTs

	Most Recent Value	Date of Sample
39. Creatinine	(TX6CRT) <input type="text"/> (x.x) mg/dL	(TX6CRTDT) <input type="text"/> (mm/dd/yyyy)
40. Bilirubin	(TX6BIR) <input type="text"/> (x.x) mg/dL	(TX6BIRD) <input type="text"/> (mm/dd/yyyy)
41. ALT	(TX6ALT) <input type="text"/> (xxx) IU/L	(TX6ALTD) <input type="text"/> (mm/dd/yyyy)
42. AST	(TX6AST) <input type="text"/> (xxx) IU/L	(TX6ASTDT) <input type="text"/> (mm/dd/yyyy)
43. Alkaline Phosphatase	(TX6ALPH) <input type="text"/> (xxx) IU/L	(TX6ALPDT) <input type="text"/> (mm/dd/yyyy)
44. LDH	(TX6LDH) <input type="text"/> (xxx) U/l	(TX6LDHDT) <input type="text"/> (mm/dd/yyyy)

Pulmonary Function Tests

	Most Recent Value	Date of Sample
45. DLCO	(TX6DLCO) <input type="text"/> (xxx) % of predicted value	(TX6DLCDT) <input type="text"/> (mm/dd/yyyy)
46. FEV1	(TX6FEV) <input type="text"/> (xxx) % of predicted value	(TX6FEVDT) <input type="text"/> (mm/dd/yyyy)
47. FVC	(TX6FVC) <input type="text"/> (xxx) % of predicted value	(TX6FVCDT) <input type="text"/> (mm/dd/yyyy)
48. O ² Saturation	(TX6OXYST) <input type="text"/> (xxx) %	(TX6OXYDT) <input type="text"/> (mm/dd/yyyy)

Comments: (TX6COMM)

**Blood and Marrow Transplant Clinical
Trials Network**

Transplant Form (TXP)

Web Version: 1.0; 11.01; 12-21-11

Segment (PROTSEG):

Visit Number (VISNO):

1. Record date of hematopoietic stem cell infusion: (TXDTTXP)

(mm/dd/yyyy)

2. Record the patient's pre-transplant CMV status: (CMVSTAT)

1 - Positive 2 - Negative

3. IUBMID for this patient (if available): (T_IUBMID)

4. CRID # (CIBMTR Recipient ID): (TXPCRID)

(xxxxxxxxxx)

Do NOT use IUBMID/UPN numbers in the CRID field.

Comments: (COMMTXP1)